

## Acacia Network / La Casa de Salud: COVID-19 Vaccine Summary Page

Scenario	Moderna	J&J/Janssen	Pfizer ( <i>Our sites not currently offering</i> )
<b>Initial series</b>	<p><b>Criteria:</b> 18 and older  <b>Time:</b> 28 days apart  <b>Series:</b> 2 doses</p>	<p><b>Criteria:</b> 18 and older  <b>Time:</b> N/A  <b>Series:</b> 1 dose</p>	<p><b>Criteria:</b> 12 and older  <b>Time:</b> 21 days apart  <b>Series:</b> 2 doses</p>
<b>Severely Immunocompromised (“Third Dose”)</b>	<p><b>Criteria:</b></p> <ul style="list-style-type: none"> <li>• 18 and older</li> <li>• Been receiving active cancer treatment for tumors or cancers of the blood</li> <li>• Received an organ transplant and are taking medicine to suppress the immune system</li> <li>• Received a stem cell transplant within the last 2 years or are taking medicine to suppress the immune system</li> <li>• Moderate or severe primary immunodeficiency</li> <li>• Advanced or untreated HIV infection</li> <li>• Active treatment with high-dose corticosteroids or other drugs that may suppress your immune response</li> </ul> <p><b>Time:</b> at least 28 days after second dose</p>	Not Approved	<p><b>Criteria:</b></p> <ul style="list-style-type: none"> <li>• 12 and older</li> <li>• Been receiving active cancer treatment for tumors or cancers of the blood</li> <li>• Received an organ transplant and are taking medicine to suppress the immune system</li> <li>• Received a stem cell transplant within the last 2 years or are taking medicine to suppress the immune system</li> <li>• Moderate or severe primary immunodeficiency</li> <li>• Advanced or untreated HIV infection</li> <li>• Active treatment with high-dose corticosteroids or other drugs that may suppress your immune response</li> </ul> <p><b>Time:</b> at least 28 days after second dose</p>
<b>Booster Shot</b>	<p><b>Criteria:</b></p> <ul style="list-style-type: none"> <li>• 65 years of age and older</li> <li>• 18 - 64 years of age at high risk of severe COVID-19</li> <li>• 18 - 64 years of age with frequent institutional or occupational exposure to SARS-CoV-2</li> </ul> <p><b>Time:</b> at least 6 months after completion of the primary series</p>	<p><b>Criteria:</b></p> <ul style="list-style-type: none"> <li>• 18 years of age and older.</li> <li>• No further criteria</li> </ul> <p><b>Time:</b> At least 2 months after completion of the primary series</p>	<p><b>Criteria:</b>                      To individuals 18 - 64 years of age with frequent institutional or occupational exposure to SARS-CoV-2</p> <ul style="list-style-type: none"> <li>• 65 years and older</li> <li>• Age 18+ who live in long-term care settings</li> <li>• Age 18+ who have underlying medical conditions</li> <li>• Age 18+ who live/work in high-risk settings</li> </ul> <p><b>Time:</b> At least 6 months after completion of the primary series</p>